

X9 E Mount Unit Upgrade Guide

Disclaimer


Thank you for purchasing the X9 E Mount Unit. Make sure to read this guide and relevant operation instructions before upgrade. You agree that you will use this product by following the instructions and you are solely responsible for any possible damage or loss caused by inappropriate usage.

Warnings


1. Install and remove the product in a dust-free environment.
2. DO NOT touch the pin connector on the lens adapter.

Steps

1. Run “CypressDriverInstaller_1.exe” and install the driver of the mount adapter.
2. Remove the adapter from X9 gimbal. Install the front cap to the adapter. Connect one end of the USB-C cable to the USB-C connector on the front cap and the other end to a PC running on a Windows 10/11 OS.



3. Open a file explorer, right click on “This PC”, and then go to “Manage”
(Click “Show more options” to find “Manage” in Windows 11).




4. In Computer Management, go to “Device Manager”. Check if a USB Serial Port is installed.




5. Run Mali_Mount_Upgrade_Tool.exe.


6. Click "SCAN" button, a device number and a version number should be shown.



7. Click “...” button and select the “e_mount_fw_v00.00.09.00.enc” file.



8. Click “UPGRADE” button to upgrade firmware v0.0.9.0. When upgrade succeeds, the firmware version should be changed to v0.0.9.0.



9. Your X9 E Mount Unit is fully updated and ready for use.